

Work Order ID 158471***158471***

Page 1

Thursday, March 23, 2017 10:05:29 AM

Item ID: D3015-3

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Locknut

Start Date: 3/24/2017 Start Qty: 125.00

125

Required Date: 3/31/2017 Req'd Qty: 125.00

125

APR 06 2017

Cust Item ID:

Customer:

Reference: SCHEDULED

Approvals: Process Plan:

Date:

MAR 23 2017

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D3015

Rev C

100

0.00

100

PURCHASING

Purchasing

Memo

0.00

Purchasing

Issue P/O: 35881

Description: SS locknut with nylon insert

Possible Supplier: Main Industrial P/N: PFS LNNC516S1

Material release note required

350

APR 06 2017

DAS
13
9-89

110

0.00

110

Receive & Inspect for Damage & Mat'l Certs

Packaging

Memo

2.50

Packaging

Ensure Material Release Note is attached

350x SP174-10

120

0.00

120

QC6- Inspect dimensions to drawing

QC

Memo

0.00

Quality Control

350

DAS
38
9-89
APR 11 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	

Work Order ID 158471

158471

Page 2

Thursday, March 23, 2017 10:05:29 AM

Item ID: D3015-3

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Locknut

Start Date: 3/24/2017 Start Qty: 125.00

125

Cust Item ID:

Required Date: 3/31/2017 Req'd Qty: 125.00

125

Customer:

Reference: SCHEDULED

Run Start *NR1*

Approvals: Process Plan:

Date:

Tooling:

Date:

Stop *NR2*

QC:

Date:

SPC (Y/N):

Date:

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

130

Identify as per dwg & Stock Location: *Stores*

0.00

130

Packaging

Memo

1.25

Packaging

352

APR 11 2017

DAS
6
9:30

140

QC21- Final Inspection - Work Order Release

0.00

140

QC

Memo

12.50

Quality Control

DAS
21
9:59

APR 11 2017

17/4/11 *[Signature]*

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	Design ☐	Doc/Data ☐	Equip/Tooling ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Handling/Pre ☐	Material ☐	Internal Transport ☐	Tribal Knowledge ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
LOA ☐	Substation ☐	Past Expiry Date ☐	Misidentified ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
				Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
				Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
				Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
				Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
				Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
				Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
				Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐				OTHER : _____			

Picklist Print

Thursday, March 23, 2017 10:05:34 AM

Page 1

Work Order ID: 158471

158471

Parent Item: D3015-3

D3015-3

Parent Item Name: Locknut

Start Date: 3/24/2017

Required Date: 3/31/2017

Start Qty: 125.00

Required Qty: 125.00

Comments: IPP: A01.06.28New IssueSM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
PFS-LNNC5/16S1		Purchased	No			110	Each	0.0000	1	125			
										**	350		
PFS-I NNC.5/16S1													
Lock Nut													

350x SPI7-4-10

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

SPECIFICATION CONTROL DRAWING



D3015-X LOCKNUT

PART NUMBER	SIZE	HEIGHT H	POSSIBLE SUPPLIER
D3015-1	1/4-20 UNC	0.31	ACKLANDS, P/N PFSLNNC14S1
D3015-3	5/16-18 UNC	0.34	ACKLANDS, P/N PFSLNNC516S1
D3015-5	7/16-14 UNC	0.46	ACKLANDS, P/N PFSLNNC716S1
D3015-7	M5	0.19	ACKLANDS, P/N FLMN021-005-0000



NOTES:

- 1) MATERIAL: SS LOCKNUT WITH NYLON INSERT
- 2) FINISH: N/A
- 3) TOLERANCES: ALL DIMENSIONS SHOWN AS REFERENCE
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: N/A

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER

NO. 158471 MJS
1703-23

RELEASED
09/07/08

C	REFORMAT DWG. -7 P/N NOW FLMN021-005-0000 WAS LNNM5S1 (ZN B8-1), PAR 09-020	CP	09.07.08
B	ADD D3015-7	KJ	03.07.15
A	NEW ISSUE	DS	01.05.03
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	09.07.08		

DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWING NO. D3015	REV. C
TITLE LOCKNUT	SCALE NTS
COPYRIGHT © 2001 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO35881

Purchase Order Date 4/6/2017 12:28:02 PM
PO Print Date 4/6/2017

Page Number 1 of 2

Order From :
MAIN INDUSTRIAL SALES LTD.
1475, TESSIER
HAWKESBURY, ON K6A 3S6
CA

VC-MAI001

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 613 632 3595

Ship To Contact
Ship To Phone
Ship Via: Yours ppd
Ship Acct:

Buyer
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
----------	--	------------------------	--------------------------------------	----	--------------------------------	---------------	----------------

1	6800ZZ	Bearing	4/7/2017 Yes 4/7/2017		75.00 Each	\$1.48	\$111.00
---	--------	---------	-----------------------------	--	---------------	--------	----------

AS PER DWG D3183 REV. C
B159134

Line Total: \$111.00

4	PFS-LNNC5/16S1	Lock Nut	4/7/2017 Yes 4/7/2017		350.00 Each	\$0.09	\$31.85
---	----------------	----------	-----------------------------	--	----------------	--------	---------

AS PER DWG D3015 REV. C
B158471

Line Total: \$31.85

8017-4-10

Note:

4/6/2017

MAIN INDUSTRIAL SALES LTD.

1475 TESSIER ST.
HAWKESBURY ON K6A 3S6
Phone: (613) 632-3595 Ext. Fax: (613) 632-0262
sales@mainindustrialsales.com

Packing Slip

DATE April 06, 2017
NUMBER 0000205454
CUSTOMER NO. DART

BILL TO:

DART AEROSPACE LTD.
1270 ABERDEEN ST.
HAWKESBURY ON K6A 1K7

SHIP TO:

DART AEROSPACE LTD.
1270 ABERDEEN ST.
HAWKESBURY ON K6A 1K7

(613) 632-5200 Ext.

(613) 632-5200 Ext.

P.O. NUMBER	SALESPERSON	ORDER DATE	REQ. DATE	ORDER NUMBER	
34417	EB	06-Apr-17		0000205454	
F.O.B.	SHIP VIA	TERMS			
F.O.B. value	OUR TRUCK / LOCAL	NET 30 DAYS			
PART NUMBER	LOCATION	UOM	QUANTITY		
DESCRIPTION			REQ.	SHIPPED	B.O.
0-68002ZKML BALL BEARING	6D6	EA	75	75	
YOUR PART #: 6800ZZ					
0-516CNLNSS	26C6	EA	350	350	
5/16-18 18-8 NYLON LOCKNUT					
YOUR PART #: PFS-LNNC5/16S1					

SP-4-10

DAS
38
9-88

CERTIFICATE OF COMPLIANCE

RE: 6800-ZZ BEARING

To Whom It May Concern:

Our bearing rings and balls are made of high carbon chromium steel GCr15 which has a chemical composition equivalent to SAE 52100. The hardness of bearing rings is HRC 59-64 and HRC 60-65 for steel balls. Unless specify, bearings are 25-30% filled with Alvania No. 2 grease or Chevron SRI#2 grease or equivalent.

Stella Fan
Phone: 905-629-4255
Fax: 905-629-2358

